EAST Search History

S21 1	145	((multi$1processor ((multiple plurality) adj3 processor) near3 shar$3 near3 cache)) and (cache with (miss invalid$6 ping$1pong)) and (((allocat$6 access$3) with (resource task) with (frequency number amount time))) and @ad<="20000804"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S21 2	83	(allocat$6 with task with (frequency number amount time) with shar$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S21 3	1	((multi$1processor ((multiple plurality) adj3 processor) near3 shar$3 near3 cache)) and (cache with (miss invalid$6 ping$1pong)) and ((allocat$6 with task with (frequency number amount time) with shar$3)) and @ad<="20000804"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S21 4	3913	frequen$3 with access$3 with cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S21 5	408	((multi$1processor ((multiple plurality) adj3 processor) near3 shar$3 near3 cache)) and (frequen$3 with access$3 with cache) and @ad<="20000804"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S21 6	22	718/1-108.ccls. and (((multi$1processor ((multiple plurality) adj3 processor) near3 shar$3 near3 cache)) and (frequen$3 with access$3 with cache) and @ad<="20000804")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S21 7	442	multi$1processor near3 shar$3 near3 cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S21 8	247	@ad<="20000804" and (multi$1processor near3 shar$3 near3 cache)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17

EAST Search History

S21 9	.	161	(@ad<="20000804" and (multi$1processor near3 shar$3 near3 cache)) not (ibm international).as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S22 0		12	((@ad<="20000804" and (multi$1processor near3 shar$3 near3 cache)) not (ibm international).as.) and ((allocat$6 access$3) with task)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S22 1		183	multi$1processor near3 (shar$3 near cache)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S22 2		2	(multi$1processor near3 (shar$3 near cache)) and ((allocat$6 access$3) with task with (number frequen$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S22 3		0	@ad<="20000804" and ((multi$1processor near3 (shar$3 near cache)) and ((allocat$6 access$3) with task with (number frequen$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S22 4		458	(multi$1processor$1 processors) near3 (shar$3 near cache)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/14 15:17
S22 5		187	@ad<="20000804" and ((multi$1processor$1 processors) near3 (shar$3 near cache))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/14 15:17
S22 6		173	(@ad<="20000804" and ((multi$1processor$1 processors) near3 (shar$3 near cache))) not (ibm international).as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S22 7		1	invalidations with tasks with group	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S22 8		76	invalidations with tasks	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17

EAST Search History

S22 9	9	(invalidations with tasks) and @ad<="20000804"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S23 0	12	classif$4 with invalidation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S23 1	7	@ad<="20000804" and (classif$4 with invalidation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S23 2	150	group$4 with invalidation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S23 3	66	@ad<="20000804" and (group$4 with invalidation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S23 4	29	group$4 with invalidation with number	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S23 5	4	@ad<="20000804" and (group$4 with invalidation with number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S23 6	48	(group$4 classif$4 count$4 monitor$3 track$3) with (invalidation near2 number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S23 7	11	@ad<="20000804" and ((group$4 classif$4 count$4 monitor$3 track$3) with (invalidation near2 number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S23 8	3	((number amount) near2 invalidation) with (group$3 batch$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17

EAST Search History

S23 9	20	classif$4 with number with tasks with group	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S24 0	7	(classif$4 with number with tasks with group) and @ad<="20000804"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S24 1	929	number with tasks with group$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S24 2	418	@ad<="20000804" and (number with tasks with group$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S24 3	6153	718/1-108.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S24 4	34	(@ad<="20000804" and (number with tasks with group$3)) and 718/1-108.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S24 5	9	((@ad<="20000804" and (number with tasks with group$3)) and 718/1-108.ccls.) and threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S24 6	0	allocat$4 with threshold with invalidation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S24 7	456	allocat$4 with threshold with request$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S24 8	0	(allocat$4 with threshold with request$3) same invalidation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17

S24 9	2	(allocat$4 with threshold with request$3) and invalidation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S25 0	28	(allocat$4 with threshold) and invalidation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S25 1	19551211	@ad<="20000804"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S25 2	15	((allocat$4 with threshold) and invalidation) and @ad<="20000804"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S25 3	0	(allocat$4 with threshold with tasks) and invalidation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S25 4	80	allocat$4 with invalidation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S25 5	49	(allocat$4 with invalidation) and @ad<="20000804"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S25 6	35	((allocat$4 with invalidation) and @ad<="20000804") not (international ibm)"as."	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S25 7	42	((allocat$4 with invalidation) and @ad<="20000804") not (international ibm).as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S25 8	4	(request$3 near allocat$4) with invalidation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17

EAST Search History

S25 9	1	(("5598551").PN.) and (invalidation with allocat$4)	USPAT	OR	ON	2006/09/14 15:17
S26 0	1	(US-20020053004-$).did.	US-PGPUB	OR	OFF	2006/09/14 15:17
S26 1	1	S260 and ((hits access) with (memory cache))	US-PGPUB; USPAT	OR	ON	2006/09/14 15:17
S26 2	1	S260 and ((hits access memory cache) with (count$3 number))	US-PGPUB; USPAT	OR	ON	2006/09/14 15:17
S26 3	1	(US-20020053004-$).did.	US-PGPUB	OR	OFF	2006/09/14 15:17
S26 4	0	S263 and (condition if)	USPAT	OR	ON	2006/09/14 15:17
S26 5	0	S263 and (condition if)	US-PGPUB; USPAT	OR	ON	2006/09/14 15:17
S26 6	1	S263 and (memory)	US-PGPUB; USPAT	OR	ON	2006/09/14 15:17
S26 7	0	S263 and (rule condition if)	US-PGPUB; USPAT	OR	ON	2006/09/14 15:17
S26 8	1	S263 and (access$3)	US-PGPUB; USPAT	OR	ON	2006/09/14 15:17
S26 9	0	S263 and ((access$3) same (tasks threads allocat$4))	US-PGPUB; USPAT	OR	ON	2006/09/14 15:17
S27 0	1	("20020040382").PN.	US-PGPUB; USPAT	OR	OFF	2006/09/14 15:17
S27 1	1	(US-20020053004-$).did.	US-PGPUB	OR	OFF	2006/09/14 15:17
S27 2	1	(US-5349656-$).did.	USPAT	OR	OFF	2006/09/14 15:17
S27 3	1	("5598551").PN.	USPAT	OR	OFF	2006/09/14 15:17
S27 4	38	(processors with module$1) and (module with (shar$3 near3 cache))	USPAT	OR	OFF	2006/09/14 15:17
S27 5	19551211	@ad<="20000804"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S27 6	32	S274 and S275	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17

S27 7	19	S276 and (validation invalidation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S27 8	. 49021	(multi$1processor ((multiple plurality) adj3 processor) near3 shar$3 near3 cache)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S27 9	22243	((multi$1processor ((multiple plurality) adj3 processor) near3 shar$3 near3 cache)) and @ad<="20000804"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S28 0	6153	718/1-108.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S28 1	867	(((multi$1processor ((multiple plurality) adj3 processor) near3 shar$3 near3 cache)) and @ad<="20000804") and 718/1-108. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S28 2	17313	cache with (miss invalid$6 ping$1pong)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S28 3	65	(((((multi$1processor ((multiple plurality) adj3 processor) near3 shar$3 near3 cache)) and @ad<="20000804") and 718/1-108. ccls.) and (cache with (miss invalid$6 ping$1pong))) not (ibm international).as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S28 4	1	((((((multi$1processor ((multiple plurality) adj3 processor) near3 shar$3 near3 cache)) and @ad<="20000804") and 718/1-108. ccls.) and (cache with (miss invalid$6 ping$1pong))) not (ibm international).as.) and (allocat$6 with task with (frequency number amount time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S28 5	. 2800	(allocat$6 with task with (frequency number amount time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17

EAST Search History

S28 6	24632	((allocat$6 access$3) with (resource task) with (frequency number amount time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S28 7	83	(allocat$6 with task with (frequency number amount time) with shar$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S28 8	3913	frequen$3 with access$3 with cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S28 9	408	((multi$1processor ((multiple plurality) adj3 processor) near3 shar$3 near3 cache)) and (frequen$3 with access$3 with cache) and @ad<="20000804"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S29 0	247	@ad<="20000804" and (multi$1processor near3 shar$3 near3 cache)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S29 1	183	multi$1processor near3 (shar$3 near cache)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S29 2	2	(multi$1processor near3 (shar$3 near cache)) and ((allocat$6 access$3) with task with (number frequen$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S29 3	0	@ad<="20000804" and ((multi$1processor near3 (shar$3 near cache)) and ((allocat$6 access$3) with task with (number frequen$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S29 4	458	(multi$1processor$1 processors) near3 (shar$3 near cache)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/14 15:17
S29 5	12	classif$4 with invalidation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17

S29 6	29	group$4 with invalidation with number	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S29 7	48	(group$4 classif$4 count$4 monitor$3 track$3) with (invalidation near2 number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S29 8	20	classif$4 with number with tasks with group	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S29 9	418	@ad<="20000804" and (number with tasks with group$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S30 0	6153	718/1-108.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S30 1	0	allocat$4 with threshold with invalidation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S30 2	456	allocat$4 with threshold with request$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S30 3	0	(allocat$4 with threshold with request$3) same invalidation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S30 4	19551211	@ad<="20000804"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S30 5	0	(allocat$4 with threshold with tasks) and invalidation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17

S30 6	.	80	allocat$4 with invalidation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S30 7		49	(allocat$4 with invalidation) and @ad<="20000804"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S30 8		35	((allocat$4 with invalidation) and @ad<="20000804") not (international ibm)"as."	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S30 9		1	(US-20020053004-$).did.	US-PGPUB	OR	OFF	2006/09/14 15:17
S31 0		0	S309 and (condition if)	USPAT	OR	ON	2006/09/14 15:17
S31 1		0	S309 and (condition if)	US-PGPUB; USPAT	OR	ON	2006/09/14 15:17
S31 2		1	S309 and (memory)	US-PGPUB; USPAT	OR	ON	2006/09/14 15:17
S31 3	.	0	S309 and (rule condition if)	US-PGPUB; USPAT	OR	ON	2006/09/14 15:17
S31 4		0	S309 and ((access$3) same (tasks threads allocat$4))	US-PGPUB; USPAT	OR	ON	2006/09/14 15:17
S31 5	.	38	(processors with module$1) and (module with (shar$3 near3 cache))	USPAT	OR	OFF	2006/09/14 15:17
S31 6	19551211		@ad<="20000804"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S31 7		1	((multi$1processor ((multiple plurality) adj3 processor) near3 shar$3 near3 cache)) and (cache with (miss invalid$6 ping$1pong)) and ((allocat$6 with task with (frequency number amount time) with shar$3)) and @ad<="20000804"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S31 8		1	invalidations with tasks with group	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17

S31 9	2	(allocat$4 with threshold with request$3) and invalidation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S32 0	1	(("5598551").PN.) and (invalidation with allocat$4)	USPAT	OR	ON	2006/09/14 15:17
S32 1	1	(US-20020053004-$).did.	US-PGPUB	OR	OFF	2006/09/14 15:17
S32 2	1	S321 and ((hits access) with (memory cache))	US-PGPUB; USPAT	OR	ON	2006/09/14 15:17
S32 3	1	S321 and ((hits access memory cache) with (count$3 number))	US-PGPUB; USPAT	OR	ON	2006/09/14 15:17
S32 4	1	(US-20020053004-$).did.	US-PGPUB	OR	OFF	2006/09/14 15:17
S32 5	1	S309 and (access$3)	US-PGPUB; USPAT	OR	ON	2006/09/14 15:17
S32 6	1	("20020040382").PN.	US-PGPUB; USPAT	OR	OFF	2006/09/14 15:17
S32 7	1	(US-20020053004-$).did.	US-PGPUB	OR	OFF	2006/09/14 15:17
S32 8	1	(US-5349656-$).did.	USPAT	OR	OFF	2006/09/14 15:17
S32 9	1	("5598551").PN.	USPAT	OR	OFF	2006/09/14 15:17
S33 0	100	(((((multi$1processor ((multiple plurality) adj3 processor) near3 shar$3 near3 cache)) and @ad<="20000804") and 718/1-108. ccls.) and (cache with (miss invalid$6 ping$1pong))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S33 1	7	((((((multi$1processor ((multiple plurality) adj3 processor) near3 shar$3 near3 cache)) and @ad<="20000804") and 718/1-108. ccls.) and (cache with (miss invalid$6 ping$1pong))) not (ibm international).as.) and (allocat$6 with task)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S33 2	22	718/1-108.ccls. and (((multi$1processor ((multiple plurality) adj3 processor) near3 shar$3 near3 cache)) and (frequen$3 with access$3 with cache) and @ad<="20000804")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17

S33 3	12	((@ad<="20000804" and (multi$1processor near3 shar$3 near3 cache)) not (ibm international).as.) and ((allocat$6 access$3) with task)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S33 4	76	invalidations with tasks	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S33 5	9	(invalidations with tasks) and @ad<="20000804"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S33 6	7	@ad<="20000804" and (classif$4 with invalidation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S33 7	66	@ad<="20000804" and (group$4 with invalidation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S33 8	4	@ad<="20000804" and (group$4 with invalidation with number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S33 9	11	@ad<="20000804" and ((group$4 classif$4 count$4 monitor$3 track$3) with (invalidation near2 number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S34 0	3	((number amount) near2 invalidation) with (group$3 batch$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S34 1	7	(classif$4 with number with tasks with group) and @ad<="20000804"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S34 2	34	(@ad<="20000804" and (number with tasks with group$3)) and 718/1-108.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17

S34 3	9	(((@ad<="20000804" and (number with tasks with group$3)) and 718/1-108.ccls.) and threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S34 4	28	(allocat$4 with threshold) and invalidation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S34 5	15	((allocat$4 with threshold) and invalidation) and @ad<="20000804"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S34 6	42	((allocat$4 with invalidation) and @ad<="20000804") not (international ibm).as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S34 7	4	(request$3 near allocat$4) with invalidation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S34 8	32	S315 and S316	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S34 9	19	S348 and (validation invalidation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S35 0	145	((multi$1processor ((multiple plurality) adj3 processor) near3 shar$3 near3 cache)) and (cache with (miss invalid$6 ping$1pong)) and (((allocat$6 access$3) with (resource task) with (frequency number amount time))) and @ad<="20000804"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S35 1	161	(@ad<="20000804" and (multi$1processor near3 shar$3 near3 cache)) not (ibm international).as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17

EAST Search History

S35 2	187	@ad<="20000804" and ((multi$1processor$1 processors) near3 (shar$3 near cache))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/14 15:17
S35 3	173	(@ad<="20000804" and ((multi$1processor$1 processors) near3 (shar$3 near cache))) not (ibm international).as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S35 4	150	group$4 with invalidation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S35 5	442	multi$1processor near3 shar$3 near3 cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S35 6	929	number with tasks with group$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
S35 7	1213	718/104.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/14 15:17
S35 8	1535	711/144-145.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/14 15:17
S35 9	1136	711/147.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/14 15:17
S36 0	1592	(makoto and ueda).inv.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/14 15:17

EAST Search History

S36 1	1	S360 and cache.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/14 15:17
S36 2	1	("10078942").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/09/14 15:17
S36 3	3	("3218534").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/09/14 15:17
S36 4	49021	(multi$1processor ((multiple plurality) adj3 processor) near3 shar$3 near3 cache)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S36 5	22243	((multi$1processor ((multiple plurality) adj3 processor) near3 shar$3 near3 cache)) and @ad<="20000804"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S36 6	6153	718/1-108.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S36 7	867	(((multi$1processor ((multiple plurality) adj3 processor) near3 shar$3 near3 cache)) and @ad<="20000804") and 718/1-108. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S36 8	17313	cache with (miss invalid$6 ping$1pong)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S37 0	65	(((((multi$1processor ((multiple plurality) adj3 processor) near3 shar$3 near3 cache)) and @ad<="20000804") and 718/1-108. ccls.) and (cache with (miss invalid$6 ping$1pong))) not (ibm international).as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22

EAST Search History

S37 2	1	((((((multi$1processor ((multiple plurality) adj3 processor) near3 shar$3 near3 cache)) and @ad<="20000804") and 718/1-108. ccls.) and (cache with (miss invalid$6 ping$1pong))) not (ibm international).as.) and (allocat$6 with task with (frequency number amount time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S37 3	2800	(allocat$6 with task with (frequency number amount time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S37 4	24632	((allocat$6 access$3) with (resource task) with (frequency number amount time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S37 6	83	(allocat$6 with task with (frequency number amount time) with shar$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S37 8	3913	frequen$3 with access$3 with cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S37 9	408	((multi$1processor ((multiple plurality) adj3 processor) near3 shar$3 near3 cache)) and (frequen$3 with access$3 with cache) and @ad<="20000804"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S38 2	247	@ad<="20000804" and (multi$1processor near3 shar$3 near3 cache)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S38 5	183	multi$1processor near3 (shar$3 near cache)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S38 6	2	(multi$1processor near3 (shar$3 near cache)) and ((allocat$6 access$3) with task with (number frequen$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22

EAST Search History

S38 7	0	@ad<="20000804" and ((multi$1processor near3 (shar$3 near cache)) and ((allocat$6 access$3) with task with (number frequen$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S38 8	458	(multi$1processor$1 processors) near3 (shar$3 near cache)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 10:22
S39 4	12	classif$4 with invalidation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S39 8	29	group$4 with invalidation with number	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S40 0	48	(group$4 classif$4 count$4 monitor$3 track$3) with (invalidation near2 number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S40 3	20	classif$4 with number with tasks with group	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S40 6	418	@ad<="20000804" and (number with tasks with group$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S40 7	6153	718/1-108.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S41 0	0	allocat$4 with threshold with invalidation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S41 1	456	allocat$4 with threshold with request$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22

S41 2	0	(allocat$4 with threshold with request$3) same invalidation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S41 5	19551211	@ad<="20000804"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S41 7	0	(allocat$4 with threshold with tasks) and invalidation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S41 8	80	allocat$4 with invalidation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S41 9	49	(allocat$4 with invalidation) and @ad<="20000804"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S42 0	35	((allocat$4 with invalidation) and @ad<="20000804") not (international ibm)"as."	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S42 8	0	S427 and (condition if)	USPAT	OR	ON	2006/09/15 10:22
S42 9	0	S427 and (condition if)	US-PGPUB; USPAT	OR	ON	2006/09/15 10:22
S43 0	1	S427 and (memory)	US-PGPUB; USPAT	OR	ON	2006/09/15 10:22
S43 1	0	S427 and (rule condition if)	US-PGPUB; USPAT	OR	ON	2006/09/15 10:22
S43 3	0	S427 and ((access$3) same (tasks threads allocat$4))	US-PGPUB; USPAT	OR	ON	2006/09/15 10:22
S43 8	38	(processors with module$1) and (module with (shar$3 near3 cache))	USPAT	OR	OFF	2006/09/15 10:22
S43 9	19551211	@ad<="20000804"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22

EAST Search History

S44 2	49021	(multi$1processor ((multiple plurality) adj3 processor) near3 shar$3 near3 cache)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S44 3	22243	((multi$1processor ((multiple plurality) adj3 processor) near3 shar$3 near3 cache)) and @ad<="20000804"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S44 4	6153	718/1-108.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S44 5	867	(((multi$1processor ((multiple plurality) adj3 processor) near3 shar$3 near3 cache)) and @ad<="20000804") and 718/1-108. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S44 6	17313	cache with (miss invalid$6 ping$1pong)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S44 7	65	(((((multi$1processor ((multiple plurality) adj3 processor) near3 shar$3 near3 cache)) and @ad<="20000804") and 718/1-108. ccls.) and (cache with (miss invalid$6 ping$1pong))) not (ibm international).as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S44 8	1	((((((multi$1processor ((multiple plurality) adj3 processor) near3 shar$3 near3 cache)) and @ad<="20000804") and 718/1-108. ccls.) and (cache with (miss invalid$6 ping$1pong))) not (ibm international).as.) and (allocat$6 with task with (frequency number amount time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S44 9	2800	(allocat$6 with task with (frequency number amount time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S45 0	24632	((allocat$6 access$3) with (resource task) with (frequency number amount time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22

EAST Search History

S45 1	83	(allocat$6 with task with (frequency number amount time) with shar$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S45 2	3913	frequen$3 with access$3 with cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S45 3	408	((multi$1processor ((multiple plurality) adj3 processor) near3 shar$3 near3 cache)) and (frequen$3 with access$3 with cache) and @ad<="20000804"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S45 4	247	@ad<="20000804" and (multi$1processor near3 shar$3 near3 cache)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S45 5	183	multi$1processor near3 (shar$3 near cache)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S45 6	2	(multi$1processor near3 (shar$3 near cache)) and ((allocat$6 access$3) with task with (number frequen$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S45 7	0	@ad<="20000804" and ((multi$1processor near3 (shar$3 near cache)) and ((allocat$6 access$3) with task with (number frequen$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S45 8	458	(multi$1processor$1 processors) near3 (shar$3 near cache)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 10:22
S45 9	12	classif$4 with invalidation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S46 0	29	group$4 with invalidation with number	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22

EAST Search History

S46 1	48	(group$4 classif$4 count$4 monitor$3 track$3) with (invalidation near2 number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S46 2	20	classif$4 with number with tasks with group	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S46 3	418	@ad<="20000804" and (number with tasks with group$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S46 4	6153	718/1-108.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S46 5	0	allocat$4 with threshold with invalidation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S46 6	456	allocat$4 with threshold with request$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S46 7	0	(allocat$4 with threshold with request$3) same invalidation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S46 8	19551211	@ad<="20000804"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S46 9	0	(allocat$4 with threshold with tasks) and invalidation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S47 0	80	allocat$4 with invalidation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22

S47 1	49	(allocat$4 with invalidation) and @ad<="20000804"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S47 2	35	((allocat$4 with invalidation) and @ad<="20000804") not (international ibm)"as."	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S47 3	1	(US-20020053004-$).did.	US-PGPUB	OR	OFF	2006/09/15 10:22
S47 4	0	S473 and (condition if)	USPAT	OR	ON	2006/09/15 10:22
S47 5	0	S473 and (condition if)	US-PGPUB; USPAT	OR	ON	2006/09/15 10:22
S47 6	1	S473 and (memory)	US-PGPUB; USPAT	OR	ON	2006/09/15 10:22
S47 7	0	S473 and (rule condition if)	US-PGPUB; USPAT	OR	ON	2006/09/15 10:22
S47 8	0	S473 and ((access$3) same (tasks threads allocat$4))	US-PGPUB; USPAT	OR	ON	2006/09/15 10:22
S47 9	38	(processors with module$1) and (module with (shar$3 near3 cache))	USPAT	OR	OFF	2006/09/15 10:22
S48 0	19551211	@ad<="20000804"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S52 1	1213	718/104.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 10:22
S52 2	1535	711/144-145.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 10:22
S52 3	1136	711/147.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 10:22

S52 4	1592	(makoto and ueda).inv.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 10:22
S52 8	49021	(multi$1processor ((multiple plurality) adj3 processor) near3 shar$3 near3 cache)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S52 9	22243	((multi$1processor ((multiple plurality) adj3 processor) near3 shar$3 near3 cache)) and @ad<="20000804"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S53 0	6153	718/1-108.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S53 1	867	(((multi$1processor ((multiple plurality) adj3 processor) near3 shar$3 near3 cache)) and @ad<="20000804") and 718/1-108. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S53 2	17313	cache with (miss invalid$6 ping$1pong)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S53 3	65	(((((multi$1processor ((multiple plurality) adj3 processor) near3 shar$3 near3 cache)) and @ad<="20000804") and 718/1-108. ccls.) and (cache with (miss invalid$6 ping$1pong))) not (ibm international).as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S53 4	1	((((((multi$1processor ((multiple plurality) adj3 processor) near3 shar$3 near3 cache)) and @ad<="20000804") and 718/1-108. ccls.) and (cache with (miss invalid$6 ping$1pong))) not (ibm international).as.) and (allocat$6 with task with (frequency number amount time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22

EAST Search History

S53 5	2800	(allocat$6 with task with (frequency number amount time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S53 6	24632	((allocat$6 access$3) with (resource task) with (frequency number amount time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S53 7	83	(allocat$6 with task with (frequency number amount time) with shar$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S53 8	3913	frequen$3 with access$3 with cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S53 9	408	((multi$1processor ((multiple plurality) adj3 processor) near3 shar$3 near3 cache)) and (frequen$3 with access$3 with cache) and @ad<="20000804"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S54 0	247	@ad<="20000804" and (multi$1processor near3 shar$3 near3 cache)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S54 1	183	multi$1processor near3 (shar$3 near cache)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S54 2	2	(multi$1processor near3 (shar$3 near cache)) and ((allocat$6 access$3) with task with (number frequen$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S54 3	0	@ad<="20000804" and ((multi$1processor near3 (shar$3 near cache)) and ((allocat$6 access$3) with task with (number frequen$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S54 4	458	(multi$1processor$1 processors) near3 (shar$3 near cache)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 10:22

S54 5	12	classif$4 with invalidation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S54 6	29	group$4 with invalidation with number	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S54 7	48	(group$4 classif$4 count$4 monitor$3 track$3) with (invalidation near2 number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S54 8	20	classif$4 with number with tasks with group	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S54 9	418	@ad<="20000804" and (number with tasks with group$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S55 0	6153	718/1-108.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S55 1	0	allocat$4 with threshold with invalidation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S55 2	456	allocat$4 with threshold with request$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22
S55 3	0	(allocat$4 with threshold with request$3) same invalidation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 10:22